



THE WEIZMANN SCIENCE PRESS OF ISRAEL

National Council for Research and Development

ISRAEL Journal of BOTANY

Volume 40
1991



מוסד ויצמן לפרסומים במדעי הטבע ובטכנולוגיה, ירושלים
THE WEIZMANN SCIENCE PRESS OF ISRAEL

Publishers of the Following Journals

ISRAEL JOURNAL OF BOTANY; ISRAEL JOURNAL OF CHEMISTRY;
ISRAEL JOURNAL OF EARTH SCIENCES; ISRAEL JOURNAL OF MATHEMATICS;
ISRAEL JOURNAL OF TECHNOLOGY; ISRAEL JOURNAL OF ZOOLOGY;
JOURNAL D'ANALYSE MATHÉMATIQUE

(SCIENCE FOR YOUTH) **לדעת מדע לנוער**

(SCIENCE) **מדע עתון מדעי לכל**

Supporting Institutions

BAR-ILAN UNIVERSITY; BEN GURION UNIVERSITY OF THE NEGEV;
TECHNION-ISRAEL INSTITUTE OF TECHNOLOGY; TEL AVIV UNIVERSITY;
THE HEBREW UNIVERSITY OF JERUSALEM; THE WEIZMANN INSTITUTE OF SCIENCE

Publication aided by a grant from THE MINISTRY OF SCIENCE AND TECHNOLOGY

General Editorial Board

D. ABIR	M. JAMMER
A. DVORETZKY	J. JORTNER
C. ELATA	E. LENTZ
H. EYAL-GILADI	L. REINHOLD

ISRAEL JOURNAL OF BOTANY

Formerly Bulletin of the Research Council of Israel, Section D

Editorial Board

A. HALEVY (Editor-in-Chief), *Faculty of Agriculture, Rehovot*
J. KIGEL (Editorial Coordinator), *Faculty of Agriculture, Rehovot*
A. ESHEL, *Tel Aviv University, Tel Aviv*
R. FLUHR, *The Weizmann Institute of Science, Rehovot*
S. GEPSTEIN, *Technion — Israel Institute of Technology, Haifa*
C.C. HEYN, *The Hebrew University of Jerusalem, Jerusalem*
S. IZHAR, *The Volcani Center, Bet Dagan*
T. SACHS, *The Hebrew University of Jerusalem, Jerusalem*

Executive Editor: F. GROSSER

AUTHOR INDEX

Abstracts of invited papers presented at the International Workshop on Dynamic <i>In-Situ</i> Conservation of Wild Relatives of Major Cultivated Plants*	509
Abstracts of papers presented at the Annual Meeting of the Israel Society of Botany, 1989*	67
Abstracts of papers presented at the Annual Meeting of the Israel Society of Botany, 1990*	251
Agami, M. <i>See</i> E. Nevo; I. Noy-Meir (pp. 363 and 385)	
Anikster, Y., A. Eshel, S. Ezrati and A. Horovitz. Patterns of phenotypic variation in wild tetraploid wheat at Ammiad	397
Anikster, Y. and I. Noy-Meir. The wild-wheat field laboratory at Ammiad	351
Anikster, Y. <i>See</i> A. Dinooor; I. Noy-Meir (pp. 363 and 385)	
Beckmann, J.S. and J. Ebel. Concluding remarks of the Third Otto Warburg Symposium on "Plant Cell Interactions and Model Systems"	197
Beiles, A. <i>See</i> E. Nevo	
Boeker, B. and Y. Gutterman. The effect of water on the phenology of the desert geophytes <i>Bellevalia desertorum</i> and <i>Bellevalia eigii</i>	17
Calimag, L. <i>See</i> R. Pokras	
Campos, P. <i>See</i> L. Pedro	
Chaouat, M. <i>See</i> A. Witztum	
Chichiricò, G. <i>See</i> M. Grilli Caiola	
Cody, M.L. Morphological variation in mulga. II. Covariation among morphology, phenology, and spatial patterns in <i>Acacia</i> -dominated vegetation	41
Cohen, E. <i>See</i> I. Noy-Meir	
Czosnek, H. <i>See</i> E. Yahalom	
De Boer, D. <i>See</i> P. Weisbeek	
Dinooor, A., N. Eshed, R. Ecker, Z. Gerechter-Amitai, Z. Solel, J. Manisterski and Y. Anikster. Fungal diseases of wild tetraploid wheat in a natural stand in northern Israel	481
Dovrat, A. <i>See</i> E. Yahalom	
Ebel, J. <i>See</i> J.S. Beckmann	
Ecker, R. <i>See</i> A. Dinooor	
Eshed, N. <i>See</i> A. Dinooor	
Eshel, A. <i>See</i> Y. Anikster (p. 397)	
Ezrati, S. <i>See</i> Y. Anikster (p. 397)	
Factor, J. <i>See</i> R. Pokras	
Feinbrun-Dothan, N. Contributions to the flora of Israel and Sinai. VII. Does <i>Najas marina</i> occur in the Flora Palaestina area?	237
Feldman, M. <i>See</i> T. Felsenburg; A. Horovitz	
Felsenburg, T., A.A. Levy, G. Galili and M. Feldman. Polymorphism of high-molecular-weight glutenins in wild tetraploid wheat: spatial and temporal variation in a native site	451
Galili, G. <i>See</i> T. Felsenburg	

*Not included in the "Subject index."

- Gerdemann-Knörck, M. *See* O. Schieder
- Gerechter-Amitai, Z. *See* A. Dinoor
- Greulich, K.-O. *See* G. Weber
- Grilli Caiola, M. and G. Chichiricò. Structural organization of the pistil in saffron (*Crocus sativus* L.) 199
- Guttermann, Y. *See* B. Boeker
- Hadar, A. *See* M. Ziv
- Hageman, J. *See* P. Weisbeek
- Haimov, Y. *See* A. Perevolotsky
- Ham, R.C.H.J. van *See* H. 't Hart
- Hart, H. 't and R.C.H.J. van Ham. Cytotaxonomic notes on *Sedum* (Crassulaceae) species of Israel 323
- Hawkes, J.G. International workshop on dynamic *in-situ* conservation of wild relatives of major cultivated plants: summary of final discussion and recommendations 529
- Herrera, J. Reproductive characteristics of a stable-dune therophyte community in Doñana (southern Spain) 295
- Heuer, B. Response of photosynthesis, translocation, and ^{14}C partitioning in sugarbeet plants exposed to an osmotic shock 275
- Horovitz, A. and M. Feldman. Evaluation of the wild-wheat study at Ammiad 501
- Horovitz, A. *See* Y. Anikster (p. 397)
- Hüttermann, A. The ecological message of the Torah: A biologist's interpretation of the Mosaic law 183
- Jacobsen, H.-J. Somatic embryogenesis in seed legumes: The possible role of soluble auxin receptors 139
- John, M. *See* J. Schmidt
- Kadmon, R., A. Shmida and R. Selten. Within-plant foraging behavior of bees and its relationship to nectar distribution in *Anchusa strigosa* 283
- Kobiler, D. *See* E. Tel-Or
- Kollmann, F. *See* D. Tzanoudakis
- Kondorosi, A. *See* J. Schmidt
- Kondorosi, E. *See* J. Schmidt
- Krugman, T. *See* E. Nevo
- Leereveld, H., A.D.J. Meeuse and P. Stelleman. Some cases of visiting of anemophiles by syrphid flies in Madagascar 219
- Levy, A.A. *See* T. Felsenburg
- Manisterski, J. *See* A. Dinoor
- Meeuse, A.D.J. *See* H. Leereveld; O.W.P. Mohr
- Mohr, O.W.P. and A.D.J. Meeuse. Note on some characteristics of *Ephedra cam-pylopoda* C.A. Mey. 315
- Monajembashi, S. *See* G. Weber
- Negbi, M. Leonardo da Vinci on plants and gardens: A review article 339
- Nevo, E., I. Noy-Meir, A. Beiles, T. Krugman and M. Agami. Natural selection of allozyme polymorphisms: micro-geographical spatial and temporal ecological differentiations in wild emmer wheat 419
- Noy-Meir, I., M. Agami and Y. Anikster. Changes in the population density of wild emmer wheat (*Triticum turgidum* var. *dicoccoides*) in a Mediterranean grassland 385
- Noy-Meir, I., M. Agami, E. Cohen and Y. Anikster. Floristic and ecological differentiation of habitats within a wild wheat population at Ammiad 363

- Noy-Meir, I. *See* Y. Anikster (p. 351); E. Nevo
- Ofir, Y. *See* E. Tel-Or
- Okon, Y. *See* E. Yahalom
- Pais, M.S.S. *See* L. Pedro
- Pedro, L., P. Campos and M.S.S. Pais. Ultrastructure of the apical cell of procumbent (type I) trichomes in *Geranium robertianum* L. (Geraniaceae) 209
- Perevolotsky, A. and Y. Haimov. Structural response of Mediterranean woodland species to disturbance: Evidence of different defense strategies 305
- Pokras, R., L. Calimag and J. Factor. New geographic data on the leafless species of the genus *Sarcostemma* (Asclepiadaceae) 331
- Rozen, A. *See* E. Tel-Or
- Sacristan, M.-D. *See* O. Schieder
- Schell, E. *See* J. Schmidt
- Schieder, O., M. Gerdemann-Knörck and M.-D. Sacristan. The use of protoplast fusion and transformation for the production of asymmetric somatic hybrids 99
- Schmidt, J., M. John, E. Kondorosi, A. Kondorosi and J. Schell. Recent progress in the elucidation of the function of *nodA*, *B* and *C* genes of *Rhizobium meliloti* 165
- Schönfeld, M. *See* E. Tel-Or
- Selten, R. *See* R. Kadmon
- Shands, H.L. Complementarity of *in-situ* and *ex-situ* germplasm conservation from the standpoint of the future user 521
- Shmida, A. *See* R. Kadmon
- Smeekens, S. *See* P. Weisbeek
- Solel, Z. *See* A. Dinor
- Starkman, F. *See* E. Zamski
- Steinberger, Y. Litter fall and nitrogen reabsorption in *Zygophyllum dumosum* in the Negev Desert 33
- Stelleman, P. *See* H. Leereveld
- Tel-Or, E., A. Rozen, Y. Ofir, D. Kobiler and M. Schönfeld. Metabolic relations and intercellular signals in the *Anabaena-Azolla* association 171
- Tzanoudakis, D. and F. Kollmann. *Allium chalkii* (Liliaceae), a new species from the eastern Aegean island of Chalki (Greece) 61
- Voliotis, D. *Silene bupleuroides* L. ssp. *ganiatsasiana* (Caryophyllaceae), a new campion in the Greek flora 225
- Weber, G., S. Monajembashi, K.-O. Greulich and J. Wolfrum. Genetic changes induced in higher plants by a UV laser microbeam 115
- Weisbeek, P., J. Hageman, D. de Boer and S. Smeekens. Transport of proteins towards the chloroplast thylakoid lumen 123
- Witztum, A. and M. Chauat. Contributions to the flora of Israel and Sinai. VI. *Najas guadalupensis* (Sprengel) Magnus in Israel 65
- Wolfrum, J. *See* G. Weber
- Yahalom, E., A. Dovrat, Y. Okon and H. Czosnek. Effect of inoculation with *Azospirillum brasilense* strain Cd and *Rhizobium* on the root morphology of burr medic (*Medicago polymorpha* L.) 155
- Yelenosky, G. Responses and adaptations of citrus trees to environmental stresses 239
- Zamski, E., F. Starkman and N. Zieslin. Mechanical strength and anatomical structure of the peduncles of rose (*Rosa × hybrida*) flowers 1

- Zelcer, A. The potential contribution of cell engineering to the genetic improvement of tomato 109
- Zieslin, N. See E. Zamski
- Ziv, M. Morphogenetic patterns of plants micropropagated in liquid medium in shaken flasks or large-scale bioreactor cultures 145
- Ziv, M. and A. Hadar. Morphogenic pattern of *Nephrolepis exaltata* cv. *Bostoniensis* in agar or liquid cultures: Implications for micropropagation 7

SPECIES INDEX*

- Acacia acuminata*, 44, 49–51
- A. aneura*, 41–58
- A. assimilis*, 44, 49, 51
- A. beauverdiana*, 44, 49, 51
- A. cochlearis*, 44, 49, 50
- A. congesta*, 44, 49, 50
- A. coolgardiensis*, 44, 49–51
- A. crapedocarpa*, 43
- A. dielsii*, 44, 49, 51
- A. fragilis*, 44, 49, 51
- A. grasbyi*, 43, 47
- A. harpophylla*, 42
- A. hemiteles*, 44, 49, 51
- A. idiomorpha*, 44, 49, 50
- A. jutsonii*, 44, 49, 51
- A. linophylla*, 41, 43, 44
- A. raddiana*, 82, 83
- A. ramulosa*, 41–44, 48–52, 54
- A. resinomarginea*, 44, 49, 51
- A. restiacea*, 44, 49, 50
- A. rhodophloia*, 44, 49, 50
- A. rostellifera*, 44, 49, 50
- A. salicina*, 44, 49, 51, 92
- A. saligna*, 44, 49, 50, 92
- A. scirpifolia*, 44, 50
- A. signata*, 44, 49, 51
- A. steedmanii*, 44, 49, 51
- A. tetragonophylla*, 41–54
- A. tortilis*, 82, 83
- Aconitum napellus*, 293
- Adenostoma* sp., 42
- Aegilops* sp., 382, 421, 514, 515
- A. geniculata*, 354, 367, 422, 511
- A. longissima*, 79
- A. peregrina*, 354, 357, 367, 422, 511
- A. speltoides*, 515
- Aesculus hippocastanum*, 214
- Agmenellum* sp., 89
- Agrobacterium tumefaciens*, 99–103, 116
- Allium chalkii*, 61–64
- A. cupani*, 61–64
- A. greuteri*, 64
- A. lojaconoi*, 61, 63, 64
- A. lopadusanum*, 63, 64
- A. parciflorum*, 63, 64
- A. pentadactyli*, 64
- A. sipyleum*, 61, 63
- Aloe barbadensis*, 270
- Amygdalus* sp., 511
- Anabaena* sp., 67, 68, 77
- A. azollae*, 90, 171–180
- A. variabilis*, 176
- Anchusa strigosa*, 283–293
- Andryala arenaria*, 295–302
- Arabidopsis thaliana*, 74, 75
- Arachis hypogaea*, 86, 87
- Arisarum vulgare*, 254, 255
- Artemisia* spp., 213, 252
- Arundo donax*, 357, 368, 421
- Ascochyta* sp., 481–498
- Aspergillus niger*, 256
- Asphodeline lutea*, 343
- Asphodelus aestivus*, 28, 422
- A. microcarpus*, 354
- Asplenium nidus*, 14
- Avena sterilis*, 258, 352, 511, 515, 534
- Azolla* sp., 67, 68, 90
- A. caroliniana*, 171, 173–175

*Synonyms do not appear as separate entries. The species listed in the tables on pp. 226, 298 and 368 have not been indexed unless they are mentioned in the text as well.

- A. filiculoides*, 77, 171–180
A. pinnata, 173
Azospirillum brasilense, 155–163
Ballota saxatilis, 368
Basilicum sp., 265
Begonia sp., 7, 15
Bellevialia desertorum, 17–29
 B. eigii, 17–29
Beta vulgaris, 88, 275–281, 511
Brachypodium sp., 421, 433
 B. distachyon, 354, 422
Brassica sp., 534
 B. barrelieri, 298, 299, 301
 B. carinata, 105
 B. napus, 99, 103–106, 115–120
 B. nigra, 99, 103–106
Buxus sempervirens, 228
Campanula patula, 235
Capsicum annuum, 265
Carex sp., 235
Carlina corymbosa, 258
Carthamus sp., 534
Casimiroa edulis, 261
Cassia acutifolia, 89, 90
Casuarina sp., 41, 92
Catananche lutea, 368
Centranthus calcitrapae, 296, 299
Cephalaria sp., 421
 C. joppensis, 354, 368, 382, 422
Cerantonia siliqua, 79
Cereus peruvianus, 262
Chlamydomonas sp., 126
 C. reinhardtii, 116, 119
Chlorella emersonii, 76, 77
Cicer sp., 534
Cistus sp., 301
Citrus sp., 85, 239–247
Claytonia virginica, 57, 58
Cochliobolus sativus, 515
Colchicum ritchii, 28
 C. tunicatum, 28, 256
Crassula tillaea, 298–301
Crocus chrysanthus, 206
 C. sativus, 199–207
 C. thomasi, 206
Cucumis melo, 259
 C. sativus, 69
Cucurbita pepo, 257
Cupressus sempervirens, 77, 78, 265, 266
Cyclamen spp., 511
Cynara scolymus, 15
 C. syriaca, 511
Cyperus papyrus, 221
Datura sp., 101
Daucus carota, 511
Dendromecon sp., 42
Dianthus sp., 225, 233
Dichromena sp., 222
Dioscorea deltoidea, 264
Diospyros digyna, 261
Echinops adenocaulos, 354, 367
Ephedra aphylla, 320, 321
 E. campylopoda, 315–322
 E. foeminea, 321, 322
 E. fragilis, 319
Eremocitrus glauca, 241
Eremophila fraseri, 213
Eremostachys laciniata, 28
Erodium aethiopicum, 298–301
 E. hirtum, 28
Eryngium creticum, 367
Erysiphe graminis hordei, 515
 E. graminis tritici, 481–498, 515
Eucalyptus sp., 41, 42, 92
Euphorbia spp., 14, 146, 197
Festuca sp., 235
Ficus sp., 254, 511
Gaeumannomyces graminis tritici, 481–498
Geranium robertianum, 209–216
Gerbera jamesonii, 1
Gladiolus sp., 28, 88, 145–152, 206,
 259, 260
Gossypium hirsutum, 83
Gracilaria verrucosa, 75
Halimium sp., 301
Hedypnois rhagadioloides, 367
Helianthemum sessiliflorum, 257, 258,
 264, 265
Hordeum bulbosum, 258, 354, 355, 534
 H. spontaneum, 352, 354, 444, 473,
 511, 515
 H. vulgare, 214
Impatiens sp., 220
Iris lortetii, 511
 I. pseudo-acorus, 342
Jouvea pilosa, 80, 87

- Juniperus communis*, 235
J. oxycedrus, 228
J. phoenicea, 296
Koeleria splendens, 235
Lactuca sp., 534
Larrea tridentata, 37
Lavatera cretica, 259
Lens sp., 534
L. culinaris, 162
L. orientalis, 511
Leuceana leucocephala, 92
Lilium sp., 7, 511
Linaria vulgaris, 293
Linum spp., 254, 534
Lobulera maritima, 265
Loeflingia baetica, 298–301
Lolium spp., 57, 367
Lupinus spp., 268, 534
Lycopersicon cheesmanii, 111
L. chilense, 110, 111
L. chmielewskii, 110, 111
L. esculentum, 77, 109–112, 253, 257
L. hirsutum, 110, 111
L. parviflorum, 111
L. pennellii, 110, 111
L. peruvianum, 110, 111
L. pimpinellifolium, 111
Macroptilium atropurpureum, 156
Majorana syriaca, 70, 71
Malcolmia lacera, 298–301
Malus domestica, 260, 261
Manilkara zapota, 261
Marchantia polymorpha, 115
Medicago sp., 57, 258
M. polymorpha, 155–163
Melia sp., 85
Metrosideros polymorpha, 42
Najas armata, 238
N. delilei, 237, 238
N. guadalupensis, 65, 66, 237
N. major, 237
N. marina, 66, 237, 238
N. minor, 237
N. muricata, 237
Narcissus tazetta, 28, 253
Nephrolepis exaltata, 7–15, 145–152
Newcastelia viscida, 213
Nicotiana glauca, 99
Nicotiana langsdorffii, 99
N. paniculata, 99–103
N. tabacum, 99–103, 115, 116, 263
Nostoc sp., 88, 89
Olea europea, 511
Ononis broterana, 295, 298–302
Ornithogalum spp., 342, 515
Ornithopus sativus, 298, 299
Oryza sativa, 115
Pachycereus sp., 261
Pancratium sickenbergeri, 28
Papaver bracteatum, 78
P. somniferum, 534
Pariana sp., 222
Parthenium argentatum, 261
Penicillium sp., 256
Persea americana, 270, 271
Phalaris tuberosa, 368
Pharbitis nil, 71
Phaseolus vulgaris, 72, 73, 83
Phillyrea latifolia, 305–312
Philodendron sp., 145–152
Phoma lingam, 99, 103
Pinus sp., 78
P. halepensis, 79, 213, 253
Pistacia atlantica, 75, 511
P. lentiscus, 75
P. palaestina, 75, 76, 79, 90, 91, 511
P. vera, 74, 75
Pisum spp., 511, 534
Plantago spp., 221, 222, 299, 301
Plasmodiophora brassicae, 99, 103, 106
Poa sp., 235
Polygonum sp., 206, 220, 264
Poncirus trifoliata, 242
Populus nigra, 214
Porphyridium sp., 89
Potentilla erecta, 57
Prunus ursica, 511
Pseudomonas putida, 251
Psoralea bituminosa, 354, 368
Puccinia coronata avenae, 515
P. graminis avenae, 515
P. graminis tritici, 481–498
P. hordei, 515
P. recondita tritici, 481–498
P. striiformis, 481–498
Pyrenophora teres, 515

- Pyrus syriaca*, 511
Quercus boissieri, 91, 511
 Q. calliprinos, 79, 90, 91, 305–312, 511
 Q. ithaburensis, 79, 91, 258, 352, 420, 511
 Q. robur, 311
 Q. rubrum, 311
Ramalina duriaei, 73, 74
Rhamnus sp., 515
Rhaphanistrum rugosum, 367
Rhizobium meliloti, 155–163, 165–168, 197
Rhynchosporium secalis, 515
Ricinodendron rautanenii, 261
Rosa hybrida, 1–5, 256, 257
Rubus canescens, 235
Rumex bucephalophorus, 298, 299
 R. litoreum, 324, 326
 R. pallidum, 326–328
Sagina apetala, 298–301
Salix sp., 222
Santalum sp., 54
Sarcostemma articulata, 334, 336
 S. australe, 334
 S. brevistigma, 331, 334
 S. brunonianum, 331–334
 S. centrale, 334
 S. intermedium, 334
 S. stocksii, 334
 S. viminalis, 331, 333–335
Scabiosa prolifera, 367, 422
Sclerocarya caffra, 261
Scolymus maculatus, 368
Scorzonera papposa, 28
Secale sp., 534
Sedum caespitosum, 324, 325
 S. hispanicum, 324–326
 S. laconicum, 324, 325
 S. litoreum, 324, 326
 S. microcarpum, 323, 324, 327
 S. pallidum, 326, 327
 S. rubens, 324, 326–328
 S. sediforme, 324, 328, 329
 S. steudelii, 325, 326
 S. ursi, 326
Septoria nodorum, 481–498
 S. tritici, 482
Silene bupleuroides, 225–235
 S. cythnia, 232
 Silene frivaldszkyana, 232
 S. longiflora, 232
 S. oligantha, 232
 S. pratensis, 126, 129–135
 S. radicata, 232
 S. regis-ferdinandi, 232
 S. reichenbachii, 232
 S. roemerii, 235
 S. skorpilii, 232
 S. thessalonica, 232
 S. waldsteinii, 235
Sinapis spp., 251, 534
Solanum sp., 533
 S. lycopersicoides, 110
 S. nigrum, 110
 S. rickii, 110
 S. tuberosum, 110
Sorghum bicolor, 67, 88
Spalax ehrenbergi, 512
Spirulina sp., 89
 S. subsalsa, 72
Stenocereum sp., 261, 262
Sternbergia clusiana, 28, 255
Stevia rebaudiana, 256
Stipa sp., 235
Symphytum officinale, 87
 S. palaestinum, 87
Synechococcus sp., 88, 89
Terfezia leonis, 257, 258, 264, 265
Thalictrum speciosissimum, 481–498
Thypha sp., 343
Trifolium alexandrinum, 156
 T. pilulare, 258
 T. repens, 57
Triticum sp., 514
 T. aestivum, 267
 T. turgidum var. *dicoccoides*, 71, 72, 81, 82, 91, 92, 351–361, 363–383, 385–395, 397–416, 419–446, 451–477, 481–498, 501–508, 511, 513–515, 531
Tuberaria inconspicua, 295, 299, 301
Tulipa systola, 28, 252
Ulva sp., 68
Urginea spp., 28
 U. undulata, 28
Ustilago tritici, 482
Verbascum fruticosum, 83, 84

Verbascum sinaiticum, 83, 84
V. thapsus, 84
Vigna mungo, 88
V. radiata, 72, 73, 268
V. unguiculata, 83
Vitis vinifera, 256, 511

Zea diploperennis, 524
Z. mays, 80, 81, 254, 262
Ziziphus mauritiana, 261
Z. spina-christi, 355
Zygophyllum dumosum, 33–38

SUBJECT INDEX

Anabaena-Azolla interaction, 171–180
 anatomy
 of medic root; effect of *Azospirillum*, 155–163
 of pistil in saffron, 199–206
 of trichomes in *Geranium*, 209–216
 of vascular bundle in *Rosa*, 1–5
 arid environment, 17–29, 33–38
 bending in rose flowers, 1–5
 conservation *in situ* and *ex situ* of
 wild crop-plant relatives, 501–508,
 509–519, 521–528, 529–536
 ecogeographical survey, of wild emmer
 wheat, 363–383, 501–508
 Flora of Israel
 Najas guadalupensis, 65–66
 Najas marina, 237–238
 Sedum spp., 323–329
 flowering
 effect of water, 17–29
 in therophytes on sand dunes, 295–302
 fungal pathogens in wild wheat, 481–498
 genetic engineering, of plants, 109–112,
 115–120
 genetic variation, in wild emmer wheat
 allozymic variation, 419–446
 biochemical markers: HMW glutenins,
 451–477
 relation to habitat diversity, 351–361,
 501–508
 geographic distribution, of *Sarcostemma*,
 331–337
 meristemoid proliferation, of fern, 7–15,
 145–152
 micropropagation, in liquid cultures, 7–15,
 145–152
 nitrogen reabsorption, in desert shrub, 33–38
 nodulation genes, of *Rhizobium*, 165–168

organogenesis in bioreactors, 7–15,
 145–152
 osmotic shock, effect on sugarbeet, 275–281
 phenology
 of desert geophytes, 17–29
 of therophytes on sand dunes, 295–302
 of *Ephedra campylopoda*, 315–322
 phenotypic variation, in wild emmer wheat,
 397–416
 plastocyanin, transit peptide of, 123–135
 pollination
 of *Anchusa strigosa* by bees: foraging
 behavior, 283–293
 of anemophiles by syrphids, 219–222
 of therophytes on sand dunes, 295–302
 population dynamics, of wild emmer wheat,
 385–395
 protoplast fusion
 in *Brassica*, 103–105
 in *Lycopersicon*, 109–112
 in *Nicotiana*, 100–102
 root–rhizosphere interactions, 155–163,
 165–168
 somatic embryogenesis, in pea, 139–142
 somatic hybridization, 99–106, 109–112
 stress adaptation, in citrus trees, 239–247
 taxonomy
 Allium chalkii, 61–64
 Ephedra campylopoda, 315–322
 Sarcostemma, 331–337
 Sedum spp., cytotaxonomy of, 323–329
 Silene bupleuroides ssp. *ganiatsasiana*,
 225–235
 variability, morphological: in *Acacia aneura*,
 41–58
 water availability, 17–29, 33–38, 239–247
 woodland, Mediterranean: response to
 disturbance, 305–313